

BOOKS and SPECIAL ISSUES

- B001 "Flow and Fracture at Elevated Temperature", Edited by R. Raj, American Society for Metals, Metals Park, OH, (Sept 1985).
- B002 "Interface Science and Engineering '87", R. Raj and S. L. Sass, Journal de Physique, Colloque C5, 1988.
- B003 "Interfaces in Ionic Materials", Editors: J. Maier, R. Raj, and M. Rühle, Proceedings of International Conference Held at Schloss Ringberg, Germany, March 7-11, 1994, North Holland, Reprinted from Solid State Ionics, Vol. 75, pp.1-286, 1995.
- B004 "Integration of Scientific and Engineering Aspects of Structural Materials in High Temperature Applications", Guest Editors: R. Mohan and R. Raj, Dedicated Special Issue in the Journal of Engineering Materials and Technology, Vol 122, No. 3, pp. 245-367 (July 2000).
- B005 "Ultrahigh Temperature Polymer Derived Ceramics", Guest Editors: R. Raj, R. Riedel and G. D. Soraru, Special Issue of the Journal of the American Ceramic Society, Vol. 84 (10), 2158-2264 (2001) .

CONFERENCE PUBLICATIONS AND REPORTS

- C001 "The Use of a Bubble Model to Study Stress Induces Migration and Sliding of Grain Boundaries", M.F. Ashby and R. Raj, Harvard University Technical Report, No. 556, (1968).
- C002 "Creep Fracture", M.F. Ashby and R. Raj, Proceedings of the Conference on Mechanics and Physics of Fracture, Cambridge (1975), Institute of Physics, London.
- C003 "Time Dependent Effects in Creep Fatigue", R. Raj, ASME MPC-3 Symposium of Creep Fatigue Interaction, New York, 1976, p. 337348-.
- C004 "Kinetics of Hydrogen Assisted Crack Growth", R. Raj and V.K. Varadan, Proceedings of the Conference on the Mechanisms of Environmental Cracking in Materials, Surrey, England (1977) p. 426-436, The Metals Society.
- C005 "Mechanisms of Intergranular Fracture in High Temperature Fatigue", R. Raj, Materials Science Center Report #2843 (1977), prepared for the National Materials Advisory Board, National Academy of Sciences.
- C006 "Use of Holographic Interferometry to Study Crack Propagation in Metal Plastic Composites", R.C. Koeller, R.H. French and R. Raj, Proceedings of the Conference on Failure Modes and Processing of Composites IV, The Metallurgical Society of AIME (1979).
- C007 "A Mechanism of Intergranular Fracture During High Temperature Fatigue", B.K. Min and R. Raj, Fatigue Mechanisms, ASTM-STP (1979), Kansas City, pp 569-591.

- C008 "The Effect of Cycle Shape on Creep Fatigue Interaction in Austenitic Stainless Steels", R. Raj and B.K. Min, ASME/Pressure Vessel and Piping Conference (1978), Mechanical Engineering, Vol 100, No 11, (1978), p 122.
- C009 "Superplastic Flow in Ceramics Enhanced by a Liquid Phase", R. Raj, R.L. Tsai, J.G. Wang and C.K. Chyung, Deformation of Ceramic Materials II, Materials Science Research, Vol 18, Editors: Tressler and R.C. Bradt, Plenum Press, NY, 1984, pp353-378.
- C010 "Interaction Between Lattice and Grain Boundary Dislocations and Their Role in Mechanical Properties of Interfaces", L.C. Lim and R. Raj, Journal de Physique, Colloque C4, Supplement au no. 4, Tome 46 (April 1985), pp581595-.
- C011 "The Evolution of Grain Size Distribution During Superplastic Deformation", A.K. Ghosh and R. Raj, Superplasticity, Editors: B. Baudelet and M. Sirery, Edition du CNRS, Paris, (1985), pp 383406-.
- C012 "Environmental Effect in Nickel-Base Alloys", S. Floreen and R. Raj, Flow and Fracture at Elevated Temperatures, ASM Materials Science Seminar, American Society Metals, Metals Park, OH (1985), pp 383-406.
- C013 "Mechanisms of Creep Fatigue Interaction", R. Raj, Flow and Fracture at Elevated Temperatures, ASM Materials Science Seminar, American Society Metals, Metals Park, OH (1985), pp215-250.
- C014 "Relationships Between Interface Structure and Superplastic Deformation", R. Raj, Journal de Physique, Colloque C5, Suppl. n: 10, (1988), pp C5 35-47.
- C015 "Mechanisms of Superplastic Deformation in Ceramics", R. Raj, Superplasticity and Superplastic Forming, Editors: C.H. Hamilton and N.E. Paton, The Minerals, Metals and Materials Society, Warrendale, PA, (1988), pp 583-594.
- C016 "n/a", R. Raj, Advances in Fracture Research, Editors: K. Salama, K. Ravi-Chandra, D.M.R. Taplin and P. RamaRao. Pergamon Press, New York, NY (1989), pp 2769-2785.
- C017 "Phase Formation and Phase Stability in the Al-Ti System", L.R. Parks, D.A. Lilienfeld, P. Borgeson and R. Raj, MRS Proceedings, 1991.
- C018 "Superplastic Flow in Nanograin Ceramics", R. Lappalainen and R. Raj, Superplasticity in Advanced Materials, Eds S. Hori, M. Tokizane and N. Furushiro, The Japan Society for Research on Superplasticity, Osaka, Japan, 1991, pp 195-204.
- C019 "Optical Properties of Zinc Sulphide Diamond Composites", L. A. Xue, T. W. Noh, A. J. Sievers, and R. Raj, Diamond Optics IV, Proc. International Society for Optical Engineering, SPIE, Diamond Optics IV, Eds. A. Feldman and S. Holly, Vol 1534, 22-23 July, 1991, San Diego, CA, pp183-197 (1991).
- C020 "Role of Shear in Sintering of Composites", R. K. Bordia and R. Raj, Tailoring Multiphase and Composite Ceramics, eds R. E. Tressler, G. L. Messing, C. G. Pantano, and R. E. Newnham, Plenum, NY 1986, pp26-36..
- C021 "Enhancement of Tensile Ductility in Nanophase Superplastic Ceramics through Control of Interface Chemistry", R. Lappalainen, A. Pannikat and R. Raj, Grain Boundary Controlled

Properties of Fine Ceramics, (eds) K. Ishizaki, K. Niihara, M. Isotani and R. G. Ford, pp. 238-247, Elsevier Applied Science, New York, 1992.

- C022 "The Design of the Interface Phase for Obtaining Thermal Shock Resistance in Silicon Nitride", R. Raj, Thermal Shock and Thermal Fatigue Behavior of Advanced Ceramics, eds. G. A. Schneider and G. Petzow, Kluwer Academic Publishers, Netherlands, 1993, pp 207-221..
- C023 "Single Crystal Based Microstructure Design of Metal Matrix Composites for High Temperature Applications", R. Raj, Critical Issues in the Development of High Temperature Structural Materials, eds. N. S. Stoloff, D. J. Duquette and A. F. Giamei, The Minerals, Metals and Materials Society, Warrendale PA, 1993, pp.71-86.
- C024 "Crystallization of the Nanophase in Silicon Nitride", R. Raj, Tailoring of High-Temperature Properties of Si₃N₄ Composites, Eds. M. J. Hoffmann and G. Petzow, Kluwer Academic Press, Netherlands, 1994, pp201-217.
- C025 "Growth of Epitaxial Lithium Tantalate on Sapphire by Chemical Beam Epitaxy by Lithium Hexaethoxy Tantalate", R. Bellman and R. Raj, Ferroelectrics 1994, Vol 152, pp 7-12 (1994).
- C026 "In-situ Study of MgO on GaAs (001) for Integrating Thin Film Ferroelectrics with Semiconductors", J. Anderson, J. Conner and R. Raj, Ferroelectrics 1994, Vol 152, pp 353-358 (1994).
- C027 "Orientation Control of KNbO₃ Thin Films Deposited by Laser Ablation on MgO (100) using SrTiO₃ Transition Layers", V. Gopalan, H. Xie, W.-Y. Hsu and R. Raj, Ferroelectrics 1994, Vol 152, pp 55-60 (1994).
- C028 "Superplasticity of Nanograin Ceramic Films Tested by the Stress Relaxation Method", R. Lappalainen and R. Raj, Mechanical Properties and Deformation Behavior of Materials Having Ultra-Fine Microstructures, Eds. M. Nastasi, D. M. Parkin and H. Gleiter, NATO ASI Series, Ser. E: Applied Sciences Vol. 233, Kluwer Acad. Publishers, Dordrecht, Netherlands, 1993, pp. 401406-.
- C029 "Structure of Copper/Sapphire Interfaces", G. Dehm, M. Rühle, G. Ding and R. Raj, International Conference on Electron Microscopy-13, Paris, 17-22 July 1994, pp. 277278-.
- C030 "Fabrication of Novel Polysilazane MEMS Structures by Micro Casting", L. A. Liew, T. Cross, V. M. Bright and R. Raj, Proceedings of the 2001 International Mechanical Engineering Congress and Exposition, Nov 11-16, New York, NY, (Accepted May 2001).
- C031 "Fabrication of a MEMS SiCN Pressure Sensor Using Photopolymerization", L. A. Liew, Y. Liu, R. Luo, L. An, V. M. Bright, M. L.Dunn, J. W. Daily, and R. Raj, Proceedings of the 47th International Instrumentation Symposium, May 6-10, Denver, CO, (2001).
- C032 "Investigating Photopolymerization of PUVMS for Derivation of Silicon Carbonitride", T. Cross, B. Hutchinson, N. Cramer, K. Anseth, C. Bowman, and R. Raj, 104th Annual Meeting and Exposition of the American Ceramic Society, April 28 - May 1, St. Louis MO, (2002).

JOURNAL PUBLICATIONS

- J001 "Coherent Pulse Train Generated from D.C. Source by Simple Two Terminal Device", S. Mao and R. Raj, Proceedings of the Institute of Electronic and Electrical Engineers, Vol 53, (1966), p 2031.
- J002 "On Grain Boundary Sliding and Diffusional Creep", R. Raj and M.F. Ashby, Metallurgical Transactions A, Vol 2, (1971), p 1113–1127.
- J003 "Grain Boundary Sliding and the Effect of Particles on its Rate", R. Raj and M.F. Ashby, Metallurgical Transactions A, Vol 3, (1972), p 1937.
- J004 "Diffusion Controlled Sliding at a Serrated Boundary", M.F. Ashby, R. Raj and R.C. Gifkins, Scripta Metallurgica, Vol 4, (1970), p 737.
- J005 "High Sensitivity Creep Tester", R. Raj, Y.T. Chen and F. VanBaren, Review of Scientific Instruments, Vol 45, (1974), p 1502.
- J006 "Sintering Rate of Clevagve Cracks", R. Raj, W. Pavinich and C.N. Ahlquist, Acta Metallurgica, Vol 23, (1975), p 339.
- J007 "Use of the Internal Friction Rechnique to Measure Rate of Grain Boundary Sliding", D. R. Mosher and R. Raj, Acta Metallurgica, Vol 22, (1974), p 1469–1474.
- J008 "Transient Behavior of Diffusion Induced Creep and Creep Rupture", R. Raj, Metallurgical Transactions A, Vol 6, (1975), 1499–1509.
- J009 "Intergranular Fracture at Elevated Temperature", R. Raj and M.F. Ashby, Acta Metallurgica, Vol 23, (1975), pp. 653-666.
- J010 "Crack Initiation at Grain Boundaries under Conditions of Steady State and Cyclic Creep", R. Raj, Journal of Engineering Materials and Technology, Vol 98, (1976), p 132.
- J011 "De-Adhesion by Growth of Penney Shapped Bubbles in an Adhesive Layer", R. Raj and C.H. Dang, Philosophical Magazine, Vol 32, (1975), p 909.
- J012 "Measurement of Viscosity of the Grain Boundary Phase in Hot-Pressed Silicon Nitride", D.R. Mosher, F. Raj and F. Kossowsky, Journal of Materials Science, Vol 11, (1976), 49.
- J013 "Fracture at Elevated Temperatures", W. Pavinich and R. Raj, Metallurgical Transactions A, 8, p. 1917 (1977).
- J014 "Intergranular Fracture in Bicrystals", R. Raj, Acta Metallurgica, 26, p. 341 (1978).
- J015 "Correction to: Intergranular Fracture at Elevated Temperature", R. Raj, H.H. Shih and H.H. Johnson, Scripta Metallurgica, 11, p. 839 (1977).
- J016 "Life Prediction of Tungsten Filaments in Incandescent Lamps", R. Raj and G.W. King, Metallurgical Transactions A, 9, p. 941 (1978).
- J017 "Use of Double Torsion Technique to Study Crack Propagation in an Adhesive Layer", R. French and R. Raj, Journal of Testing and Evaluation, American Society for Testing and Materials, 7, p. 160 (1979).

- J018 "A New Fixture for Fatigue Testing", n/a, Journal of Testing and Evaluation, American Society for Testing and Materials, 7, p. 24 (1979).
- J019 "Nucleation of Cavities at Second Phase Particles in Grain Boundaries", R. Raj, Acta Metallurgica, 26, p. 995 (1978).
- J020 "Hold-Time Effects in High Temperature Fatigue, Theory and Experiment", B.K. Min and R. Raj, Acta Metallurgica, 26, p. 1007 (1978).
- J021 "Diffusional Relaxation of Stress Concentration at Second Phase Particles", R.C. Koeller and R. Raj, Acta Metallurgica, 26, p. 1551 (1978).
- J022 "The Importance of Wedge Cracking in Creep Fatigue", B.K. Min and R. Raj, Canadian Metallurgical Quarterly, 18, p. 171 (1979).
- J023 "An Upper Bound in Strain Rate for Wedge Type Intergranular Fracture in Nickel During Creep", C.Gandhi and R. Raj, Metallurgical Transactions, 12A, [3], pp 515-520 (1981).
- J024 "Creep Crack Growth by Cavitation Near Crack Tips", R. Raj and S. Baik, Metal Science Journal, Aug/Sept, pp 385-394 (1980).
- J025 "Role of Grain Boundary Sliding in Intergranular Fracture of Hot-Pressed Silicon Nitride", R.L. Tsai and R. Raj, Journal of the American Ceramic Society, 63, [9-10], pp 513-517, (1980).
- J026 "Dynamic Effects of Flow and Fracture During Isothermal Forging of a Titanium Alloy", H. Gegel, S. Nadin and R. Raj, Scripta Metallurgica, 14, p. 241 (1980).
- J027 "Kinetics of Dissolution and Recrystallization in a Beta-Spodumene Glass Ceramic", K.H. Dalal and R. Raj, Journal of the American Ceramic Society, 46, [4], pp 194-200 (1981).
- J028 "Solution Precipitation Creep in Glass Ceramics", R. Raj and C.K. Chyung, Acta Metallurgica, 29, [1], 159-166 (1981).
- J029 "Morphology and Stability of Glass Phase Segregated to Triple Grain Junctions", R. Raj, Journal of the American Ceramic Society, 64, pp 245-248 (1981).
- J030 "Development of a Processing Map for Use in Warm-Forming and Hot-Forming Process", R. Raj, Metallurgical Transactions A, 12A, [6], 1089-1097 (1981).
- J031 "Stress Rupture", R. Raj and A.K. Ghosh, Metallurgical Transactions A, 12A, [7], 1291-1302 (1981).
- J032 "Crystallization of Small Quantities of Glass Segregated in Grain Boundaries in Ceramics", R. Raj and F.F. Lange, Acta Metallurgica, 20, pp 1993-2000 (1981).
- J033 "Micromechanical Modeling of Creep Using Distributed Parameters", R. Raj and A.K. Ghosh, Acta Metallurgica, Feb vol 29, pp 283-292 (1981).
- J034 "Grain Size Effects in Superplasticity", A.K. Ghosh and R. Raj, Acta Metallurgica, May, [29], 607-616(1981).

- J035 "Equations for Diffusional Creep under Multiaxial Loading", R. Raj, Scripta Metallurgica, Feb, [15], 273-274 (1981).
- J036 "Activation Energies for Densification, Creep and Grain Boundary Sliding", R. Raj and P.E.D. Morgan, Journal of the American Ceramic Society, 64, [10], C143-145 (1981).
- J037 "Intergranular Creep Fracture in Aggressive Environments", R. Raj, Acta Metallurgica, 30, 1259-1268 (1282) .
- J038 "Wedge Type Creep Damage in Low Cycle Fatigue", S.Baik and R. Raj, Metallurgical Transactions, 30, 1207-1214 (1982).
- J039 "Mechanisms of Creep Fatigue Interaction", S. Baik and R. Raj, Metallurgical Transactions, 13A, 1215-1221 (1982).
- J040 "The Effect of Environment on Grain Boundary Internal Friction in an Al-5% Mg Alloy", S.Baik and R. Raj, Acta Metallurgica, 30, 499-503 (1982).
- J041 "A Theoretical Estimate of Solution-Precipitation Creep in MgO-fluxed Si₃N₄", R.L. Tsai and R. Raj, Journal of the American Ceramic Society, 65, [6], C88 (1982).
- J042 "Separation of Cavitation-Strain and Creep-Strain During Deformation", R. Raj, Journal of the American Ceramic Society, 65, [3], C46 (1982).
- J043 "Limiting Densities for Dense Random Packing of Spheres", H.J. Frost and R. Raj, Journal of the American Ceramic Society, 65, [2], C19-C21 (1982).
- J044 "Intergranular Fracture in Bicrystals--II", C. Gandhi and R. Raj, Acta Metallurgica, 30, 505-511 (1982).
- J045 "Dissolution Kinetics of -Si₃N₄ in an Mg-Si-O-N Glass", R.L. Tsai and R. Raj, Journal of the American Ceramic Society, 65, [5], 270-274 (1982).
- J046 "Creep Fracture in Ceramics Containing Small Amounts of a Liquid Phase", R.L. Tsai and R. Raj, Acta Metallurgica, 30, 1043-1058 (1982).
- J047 "Creep in Polycrystalline Aggregates by Matter Transport Through a Liquid Phase", R. Raj, Journal Geophysial Research, 87, B6,4731-4739 (1982).
- J048 "Influence of Hydrostatic Pressure and Multiaxial Straining on Cavitation in a Superplastic Aluminum Alloy", C.L. Bampton and R. Raj, Acta Metallurgica, 30, [11], 2043-2054 (1982).
- J049 "Correlations Between Cavitation, Creep and Dilation for Multiaxial Loading", R. Raj, Acta Metallurgica, 31, 29-36 (1983).
- J050 "A Mechanism for Intergranular Fracture During High Temperature Fatigue", B.K Min and R. Raj, American Society for Testing and Materials--Special Technical Publication 675, 569-591 (1979).
- J051 "Creep-Fatigue Interaction in OFHC-Copper", S. Baik and R. Raj, Scripta Metallurgica, 17, 1087-1090 (1983).

- J052 "Control of Superplastic Cavitation by Hydrostatic Pressure", C.C. Bampton, M.W. Mahoney, C.H. Hamilton, A.K. Ghosh and R. Raj, Metallurgical Transactions A, 14A, 1583-1593 (1983).
- J053 "On Slip-Induced Intergranular Cavitation During Low-Cycle Fatigue of Nickel at Intermediate Temperature", L.C. Lim and R. Raj, Acta Metallurgica, 32, [5], 727-733 (1984).
- J054 "Mechanism of Superplastic Flow in a Fine-Grained Ceramic Containing Some Liquid Phase", J.G. Wang and R. Raj, Journal of the American Ceramic Society, 67, [6], 399-409 (1984).
- J055 "Influence of Hydrostatic Pressure and Humidity on Superplastic Ductility of Two BetaSpoudemene Glass-Ceramics-", J.G. Wang and R. Raj, Journal of the American Ceramic Society, 67, [6], 385-390 (1984).
- J056 "Sintering Behavior of Bi-Modal Powder Compacts", R. Raj and R.K. Bordia, Acta Metallurgica, 32, [7], 1003-1019 (1984).
- J057 "On the Distribution of Conicidence Grain Boundaries in Nickel", L.C. Lim and R. Raj, Acta Metallurgica, 32, [8], 1177-1181 (1984).
- J058 "Effect of Boundary Structure on Slip Induced Cavitation in Polycrystalline Nickel", L.C. Lim and R. Raj, Acta Metallurgica, 32, [8], 1183-1190 (1984).
- J059 "On the Retention of Equiaxed Grain Structure after Superplastic and Other Forms of High Temperature Deformation", R. Raj and F.F. Lange, Acta Metallurgica, 33, [4], 699-703 (1985).
- J060 "Superplastic Deformation of an Ultrafine Grained Intermetallic Alloy Prepared by Crystallization of a Metallic Glass", S. Reusswig, R. Gleichmann, P.G. Zielinski, D.G. Ast and R. Raj, Acta Metallurgica, 32, [9], 1533-1560 (1984).
- J061 "Effect of Silicon Activity on Liquid Phase Sintering of Nitrogen Ceramics", S. Baik and R. Raj, Journal of the American Ceramic Society, 68, [5], C-125-126 (1985).
- J062 "Segregation of Mg to the (0001) Surface of Doped Sapphire", S. Baik, D.E. Fowler, J.M. Blakely and R. Raj, Journal of the American Ceramic Society, 68, [5], 281-286(1985).
- J063 "Suppression of Frothing by Silcon Addition During Oxynitride Glass Synthesis", S. Baik and R. Raj, Journal of the American Ceramic Society, 68, [7], C168-170 (1985).
- J064 "Sintering Behavior of Ceramic Films Constrained by a Rigid Substrate", R.K. Bordia and R. Raj, Journal of the American Ceramic Society, 68, [6], 287-292 (1985).
- J065 "Superplastic Deformation in Fine-Grained $MgO \cdot 2Al_2O_3$ Spinel", P.C. Panda, R. Raj and P.E.D. Morgan, Journal of the American Ceramic Society, 68, [10], 522-529 (1985).
- J066 "Continuity of Slip Screw and MIxed Crystal Dislocations across Bicrystals of Nickel at 753K", L.C. Lim and R. Raj, Acta Metallurgica, 33, [8], 1577-1583 (1985).
- J067 "The Role of Residual Dislocation Arrays in Slip Induced Cavitation, Migration and Dynamic Recrystallization on Grain Boundaries", L.C. Lim and R. Raj, Acta Metallurgica, 33, [12], 2205-2214 (1985).

- J068 "On Slip-Induced Intergranular Cavitation During Low Cycle Fatigue of Nickel at Intermediate Temperature", L. C. Lim and R. Raj, Acta Metallurgica, 32, [5], 727-733 (1984).
- J069 "Superplastic Flow in Fine-Grained Alumina", K.R, Venkatachari and R. Raj, Journal of the American Ceramic Society, 69, [2], 135-138 (1986).
- J070 "Analysis of Sintering of a Composite with a Glass or Ceramic Matrix", R.K.Bordia and R. Raj, Journal of the American Ceramic Society, 69, [3], C55-C57 (1986).
- J071 "Slip-Twin Interactions in Bicrystals of Nickel at 573K at Large Strains", L.C. Lim and R. Raj, Scripta Metallurgica, 20, 539-544 (1986).
- J072 "Kinetics of Precipitation of 8-Al₂O₃ in Polycrystalline super saturated MgO 2Al₂O₃ Spinel Solid Solution", P. C. Panda and R. Raj, Journal of the American Ceramic Society, 69, [5], 365-373 (1986).
- J073 "Shear Deformation and Densification of Powder Compacts", K. R. Venkatachari and R. Raj, Journal of the American Ceramic Society, 69, [6], 499-506 (1986).
- J074 "Unstable Spreading of a Fluid Inclusion in a Grain Boundary under Normal Stress", R. Raj, Journal of the American Ceramic Society, 69, [9], 708-712 (1986).
- J075 "Liquid Phase Bonding of Silicon-Nitride Ceramics", S. Baik and R. Raj, Communications of American Ceramic Society, 70, [5], C105-107 (1987).
- J076 "Sapphire Whiskers from Boehmite Gels Seeded with -Alumina", S. Jagota and R. Raj, Journal Crystal Growth, 85, 527-534 (1987).
- J077 "Analysis of the Sintering Pressure", R. Raj, Journal of the American Ceramic Society, 70, [9], C210-211 (1987).
- J078 "Packing and Sintering of Two-Dimensional Structures Made from Bimodal Particle Size Distributions", E. Liniger and R. Raj, Journal of the American Ceramic Society, 70, [11], 843-849 (1987).
- J079 "Enhancement of Strength Through Sinterforging", K. R. Venkatachari and R. Raj, Journal of the American Ceramic Society, 70, [7], 514-520 (1987).
- J080 "Internal Friction in Theoleitic Basalts", A.T. Weiner, M.H. Manghnani and R. Raj, Journal of Geophysical Research, 92, B11, [11] 635-11, 643 (1987).
- J081 "Measurement of the Sintering Pressure in Ceramic Films", T. Cheng and R. Raj, Journal of the American Ceramic Society, 71, [4], 276-280 (1988).
- J082 "Sintering of TiO₂-Al₂O₃ Composites: A Model Experimental Investigation", R.K. Bordia and R. Raj, Journal of the American Ceramic Society, 71, [4], 302-310 (1988).
- J083 "Hot Isostatic Pressing of Ceramic/Ceramic Composites at Pressures <10MPa", R.K. Bordia and R. Raj, Advanced Ceramic Materials, 3, [2], 122-126 (1988).

- J084 "Shear Deformation and Compaction of Nickel Aluminide Powders at Elevated Temperatures", P. C. Panda, J. LaGraff and R. Raj, Acta Metallurgica, 36, [8], 1929-1939 (1988).
- J085 "Grain Growth Transition during Sintering of Colloidally Prepared Alumina Powder Compacts", C. P. Cameron and R. Raj, Journal of the American Ceramic Society, 71, [12], 1031-1035 (1988).
- J086 "Spatial Variations in the Sintering of Rate of Ordered and Disordered Particle Structures", E. G. Liniger and R. Raj, Journal of the American Ceramic Society, 71, [2], C408-410 (1988).
- J087 "Sinterforging Characteristics of Fine-Grained Zirconia", P. C. Panda, J. Wang and R. Raj, Journal of the American Ceramic Society, 71, [12], C507-509 (1988).
- J088 "Measurement of the Ultimate Shear Strength of a Metal Ceramic Interface", D. C. Agrawal and R. Raj, Acta Metallurgica et Materialia, 37, [4], 1265-1270 (1989).
- J089 "Shear and Densification of Glass Powder Compacts", V. C. Ducamp and R. Raj, Journal of the American Ceramic Society, 72, [5], 798-804 (1989).
- J090 "Type II Magnetic Levitation on Sinterforged YBC Superconductor", J. Wang, M. M. Yanoviak and R. Raj, Journal of the American Ceramic Society, 72, [5], 846-848 (1989).
- J091 "Optical Resistivity Studies of Polycrystalline La₄BaCu₅O₁₃ and La₂SrCu₂O₆", S. G. Kaplan, T. W. Noh, P. E. Sulewski, H. Xia, A. J. Sievers, J. Wang and R. Raj, The American Physical Society, Physical Review B, 38, [7], 5006 (1988).
- J092 "Autonucleation of Cavities in Thin Ceramic Films", D. C. Agrawal and R. Raj, Acta Metallurgica et Materialia, 37, [7], 2035-2038 (1989).
- J093 "Sintering and Crystallization of Glass at Constant Heating Rates", P. C. Panda and R. Raj, Journal of the American Ceramic Society, 72, [8], 1564-65 (1989).
- J094 "Nucleation of Flocs in Dilute Colloidal Suspensions", D. C. Agrawal, R. Raj and C. Cohen, Journal of the American Ceramic Society, 72, [11], 2148-53 (1989).
- J095 "Investigation of the Infrared Properties of ZnS:Diamond Composites", T. W. Noh, A. J. Sievers, L. A. Xue and R. Raj, Optics Letters, Vol. 14, No. 22, 1260-62 (1989).
- J096 "Superplastic Deformation of ZnS Near Its Transformation Temperature (1020oC)", L. A. Xue and R. Raj, Journal of American Ceramic Society, vol 72, No. 10, 1792-96 (1989).
- J097 "Flaw Generation During Constrained Sintering of Metal-Ceramic and Metal-Glass Multilayer Films", T. Cheng and R. Raj, Journal of American Ceramic Soceity, 72, [9], 1649-1655 (1989).
- J098 "Copper on Sapphire: Stability of Thin Films at 0.7T_m", C. M. Kennefick and R. Raj, Acta Metallurgica et Materialia, vol 37, [11]. 2947-2952 (1989).
- J099 "Effect of the Heating Rate on the Relative Rates of Sintering and Crystallization in Glass", P. C. Panda, W. M. Mobley and R. Raj, Journal of the American Ceramic Soceity, vol 72, [12], 2361-2364 (1989).

- J100 "Estimate of the Activation Energies for Boundary Diffusion from Rate Controlled Sintering of Pure Alumina, and Alumina Doped with Zirconia and Titania", J. Wang and R. Raj, Journal of the American Ceramic Society, 73, [5], 1172-1175 (1990).
- J101 "Ultimate Shear Strength of Copper-Silica and Nickel-Silica Interfaces", D. C. Agrawal and R. Raj, Materials Science and Engineering, A126, 125-131, (1990).
- J102 "Deformation Induced Phase Transformation in Zinc Sulphide", L. A. Xue and R. Raj, Journal of Materials Science Letters, 9, 818-819, (1990).
- J103 "Better Sintering through Green State Deformation Processing", C. P. Cameron and R. Raj, Journal of the American Ceramic Society, 73, [7], 2032-2037, (1990).
- J104 "In-Situ Measurement of Silica-Gel Coating on Particles of Alumina", D. C. Agrawal, C. Cohen and R. Raj, Journal of the American Ceramic Society, 73, [7], 2163-2164 (1990).
- J105 "Premelting at Triple Grain Junctions", R. Raj, Acta Metallurgica et Materialia, 38, 1413-1416 (1990).
- J106 "Optical and Mechanical Properties of Zincsulphide Diamond Composites", L. A. Xue, D.S. Farquhar, T. W. Noh, A. J. Sievers, and R. Raj, Acta Metallugica et Materialia, Vol. 38, No. 9, 1743-52 (1990).
- J107 "Effect of Diamond Dispersion on the Superplastic Rheology of ZnS", L. A. Xue and R. Raj, Journal of American Ceramic Society, Vol. 73, No. 8, 2213-16 (1990).
- J108 "Control of the Mechanical Properties of Metal-Ceramic Interfaces through Interfacial Reactions", F. S. Shieh, R. Raj and S. L. Sass, Acta Metallurgica et Materialia, 38, [11], 2215-2224 (1990).
- J109 "A Model for Subgrain Superplastic Flow in Aluminum Alloys", C. Gandhi and R. Raj, Acta Metallurgica et Materialia, 39, [4], 679-698 (1991).
- J110 "Effect of Hot-Pressing Temperature on Optical Transmission of ZnS", L. A. Xue and R. Raj, Applied Physics Letters, 58, [5], 441-443 (1991).
- J111 "Control of the Microstructure of Alumina-Zirconia Composites starting from Inorganic Salts", J. Wang and R. Raj, Journal of the American Ceramic Society, 74, [7], 1707-1709 (1991).
- J112 "The Effect of Microstructure on the Thermal Conductivity of Particulate Zn/Diamond Composites", A. G. Every, Y. Tzou, D. P. H. Hasselman and R. Raj, Acta Metallurgica et Materialia, 40, [1], 123-129 (1992).
- J113 "Solution Precursor-Low Pressure Chemical Vapor Deposition of Titanium Oxide Thin Films", J.-P. Lu, J. Wang and R. Raj, Thin Solid Films, 204, L13-L17 (1991).
- J114 "Ultra High Vacuum Chemical Vapor Deposition and in-situ Characterization of Titanium Oxide Thin Films", J.-P. Lu and R. Raj, Journal of Materials Research, 6, [9], 1913-1918 (1991).

- J115 "A Model for the Crystallization and Sintering of Unseeded and Seeded Boehmite Gels", S. Jagota and R. Raj, Journal of Materials Science, 27, 2251-2257 (1991).
- J116 "Grain Growth in Superplastically Deformed Zinc Sulphide/Diamond Composites", L. A. Xue and R. Raj, Journal of the American Ceramic Society, 74, [7], 1729-1731 (1991).
- J117 "Activation Energy for the Sintering of Two-Phase Alumina/Zirconia Ceramics", Jenqdaw Wang and R. Raj, Journal of the American Ceramic Society, 74, [8], 1959-1963 (1991).
- J118 "Thin Films of Transition Metals on Oxides", R. Raj, A. Pearce and C. M. Kennefick, Acta Metallurgica et Materialia, 39, [12], 3178-3191 (1991).
- J119 "Microtensile Superplasticity in Ceramic Fibers", R. Lappalainen and R. Raj, Acta Metallurgica et Materialia, 39, [12], 3125-3132 (1991).
- J120 "Interface Effects in Superplastic Deformation of Alumina Containing Zirconia, Titania, or Hafnia as a Second Phase", J. Wang and R. Raj, Acta Metallurgica et Materialia, 39, [11], 2909-2919 (1991).
- J121 "Reply to "Comments on....." by R. Crooks, P. N. Kalu and T. R. McNelley", R. Raj, Scripta Metallurgica, 26, [12], 151-152 (1992).
- J122 "Ultra-High Vacuum Metalorganic Vapor Deposition of Gallium Arsenide on Si(100) Using a Single Source Precursor", J.-P. Lu, R. Raj and A. Wernberg, Thin Solid Films, 205, 236-240 (1991).
- J123 "Fracture and Stiffness Characteristics of Particulate Composites of Diamond and Zinc Sulphide", D. S. Farquhar, R. Raj and S. L. Phoenix, Journal of the American Ceramic Society, 73, [10], 3074-3080 (1990).
- J124 "Scalings in Fracture Probabilities for a Brittle Matrix Fiber Composite", S. L. Phoenix and R. Raj, Acta Metallurgica, 40, [11], 2813-2828 (1992).
- J125 "Rate Effects in Metal Ceramic Interface Sliding from the Periodic Film Cracking Technique", V. C. Jobin, R. Raj and S. L. Phoenix, Acta Metallurgica, 40, [9], 2269-2280 (1992).
- J126 "Influence of Green State Processing on the Properties of ZnS:Diamond Composites", L. A. Xue and R. Raj, Journal of Materials Science, 27, [11], 3021-3025 (1992).
- J127 "Creep Fracture Experiments with Planar Sapphire-Copper Interfaces Stressed in Tension", C. M. Kennefick and R. Raj, Acta Metallurgica, 40, [4], 615-624 (1992).
- J128 "Ultra-High Vacuum Metalorganic Vapor Deposition of Rhodium Thin Films on Clean and TiO₂covered Si(111)-", J.-P. Lu, P. Chu, and R. Raj, Thin Solid Films, 208, 172-176 (1992).
- J129 "Determination of Fracture Toughness and Bridging Tensions from Crack-Opening Displacement Measurements in Particulate Composites of Diamond in Zinc Sulphide", D. S. Farquhar, S. L. Phoenix and R. Raj, Acta Metallurgica et Materialia, 42, [1], 65-75 (1994).
- J130 "Superplastic Flow in a Non-Stoichiometric Ceramic: Magnesium Aluminate Spinel", R. Lappalainen, A. Pannikkat and R. Raj, Acta Metallurgica et Materialia, 41, [4], 1229-1237 (1993).

- J131 "MgO Epitaxial Thin Films on (100) GaAs as a Substrate for the Growth of Oriented PbTiO₃", W.-Y. Hsu and R. Raj, Applied Physics Letters, 60, [25], 3105-3107 (1992).
- J132 "Fundamental Research in Structural Ceramics for Service Near 2000°C", R. Raj, Journal of the American Ceramic Society, 76 [9], 2147-2174 (1993).
- J133 "A Model for Interface Reaction Control in Superplastic Deformation of Non-Stoichiometric Ceramics", R. Raj, Materials Science and Engineering, A166, 89-95, 1993.
- J134 "Temperature Programmed Desorption Studies of the Copper-Sapphire (0001) System", Y. Ding, J. Blakely and R. Raj, Materials Science and Engineering, A162, 131-134 (1993).
- J135 "Controlled Epitaxial Nucleation of Nickel Oxide Onto Micro-Fabricated Magnesium Oxide Substrates in a CVD Process", B. Hoghooghi and R. Raj, Journal of the American Ceramic Society, 79[4], 1025-1033 (1996).
- J136 "Heteroepitaxial Growth Kinetics in a CVD Process Using Nickel Oxide on MgO as a Model System", B. Hoghooghi and R. Raj, Journal of the American Ceramic Society, 79[4], 1019-1024 (1996).
- J137 "Reply to "Comment on 'Analysis of the Sintering Pressure'"", R. Raj, Journal of the American Ceramic Society, 76, [7], (1993).
- J138 "Mapping sp² and sp³ States of Carbon at a Subnanometer Spatial Resolution", D. A. Muller, Y. Tzou, R. Raj and J. Silcox, Nature, 366, pp. 725-727, and p. 721 23/30 December 1993.
- J139 "BaSi₂ and Thin Film Alkaline Earth Silicides on Silicon", R. A. McKee, F. J. Walker, J. R. Conner and R. Raj, Applied Physics Letters, ??? [], (1993).
- J140 "Epitaxial LiTaO₃ Thin Film by Pulsed Metalorganic Chemical Vapor Deposition from a Single Precursor", H. Xie and R. Raj, Applied Physics Letters, 63 [23}, 3146-3148, 1993.
- J141 "MOCVD by Pulsed Liquid Injection Using an Ultrasonic Nozzle: TiO₂ on Sapphire from Ti(OPr)⁴", V.A. Versteeg, C. T. Avedisian and R. Raj, Journal of American Ceramic Society, 78 [10], 2763-2768 (1995).
- J142 "Analysis of the Single-Fiber-Composite Test to Measure the Mechanical Properties of MetalCeramic Interfaces-", J.-L. Houpert, S. L. Phoenix and R. Raj, Acta Metallurgica et Materialia, 42 [12], 4177-4187 (1994).
- J143 "The Influence of Grain Size on Ferroelastic Toughening and Piezoelectric Behavior of PZT", Z. Zhang and R. Raj, Journal of American Ceramic Society, 78 [12], 3363-3368 (1995).
- J144 "Nanostructure and Chemistry of a (100)MgO/(100)GaAs Interface", J. Bruley, S. Stemmer, F. Ernst, M. Rühle, W.-Y. Hsu and R. Raj, Applied Physics Letters, 65[5], 564-566 (1994).
- J145 "Non-Linear Optical Properties of Epitaxial Lithium Tantalate Thin Films'", H. Xie, W.-Y. Hsu and R. Raj, Journal of Applied Physics, 77, 3420-3425 (1995).
- J146 "Structure-Optical Property Correlation of Epitaxial KNbO₃ thin Films Deposited on MgO (100) Substrates Using a SrTiO₃ (110) Transition Layer", V. Gopalan and R. Raj, Journal of American Ceramic Society, 78 [7], 1825-1833 (1995).

- J147 "In-situ Stress Strain Response of Small Metal Particles Embedded in a Ceramic Matrix", L. R. Thompson and R. Raj, Acta Metallurgica et Materialia, 42 [7], 2477-2485 (1994).
- J148 "Design of the Microstructural Scale for Optimum Toughening in Metallic Composites", R. Raj and L. R. Thompson, Acta Metallurgica et Materialia, 42 [12], 4135-4142 (1994).
- J149 "TEM Study of the Structure and Chemistry of a Diamond/Silicon Interface", Y. Tzou, J. Bruley, F. Ernst, M. Rühle, and R. Raj, Journal of Materials Research, 9 [6], 1566-1572 (1994).
- J150 "Space Charge Controlled Diffusional Creep: Volume Diffusion Case", J. Jamnik and R. Raj, Journal of American Ceramic Society, 79 [1], 193-198 (1996) .
- J151 "Electron Cyclotron Resonance Plasma Enhanced Metalorganic Chemical Vapor Deposition of Tantalum Oxide Thin Films on Silicon Near Room Temperature", A. Nagahori and R. Raj, Journal of American Ceramic Society, 78[6], 1585-1592 (1995).
- J152 "X-Ray Characterization of the Domain Structure of Epitaxial Lead Titanate Thin Films on (001) Strontium Titanate", W.-Y. Hsu and R. Raj, Applied Physics Letters, 67[6],792 (1995).
- J153 "A Mechanistic Basis for High Strain Rate Superplasticity of Aluminum Based Metal Matrix Composites", R. Raj, Materials Science and Engineering A, A212, 14-21 (1996).
- J154 "Domain Configurations in Ferroelectric PbTiO₃ Thin Films: The Influence of Substrate and Film Thickness", S. Stemmer, S. K. Streiffer, F. Ernst, M. Rühle, W. -Y. Hsu and R. Raj, Solid State Ionics, 75, 43-48 (1995).
- J155 "The Influence of Pt and SrTiO₃ Interlayers on the Microstructure of PbTiO₃ Thin Films Deposited by Laser Ablation on (001) MgO", S. Stemmer, S. K. Streiffer, W.-Y. Hsu, F. Ernst, R. Raj and M. Rühle, Journal of Materials Research, 10[4] 791-794 (1995).
- J156 "Growth and Structure of Copper Thin Films Deposited on (0001) Sapphire by Molecular Beam Epitaxy", G. Dehm, M. Rühle, G. Ding and R. Raj, Philosophical Magazine B, 71[6], 1111-1124 (1995).
- J157 "Measurement of Oxygen Activity Modulated Space Charge Potential at Metal-Ceramic Interfaces Using a CHEMFET with Epitaxial LaF₃ Electrolyte", W. B. Mattingly and R. Raj, Solid State Ionics, 75, 117-121 (1995).
- J158 "A TEM Study of Microstructure and Misfit Dislocations in Epitaxial LiTaO₃ Thin Films Grown on Sapphire by a MOCVD Process", H. Xie, Y.-C. Lu and R. Raj, Jounral of Applied Physics, submitted 8-11-85.
- J159 "The Influence of Microstructural Scale on the Creep Resistance of High Volume Fraction Ceramic-Metal Composites Made from Aluminum Oxide and Niobium", Y. Wang and R. Raj, Materials Science and Engineering A, 206[1], 128-137 (1996).
- J160 "Domain Structure and Phase Transitions in Epitaxial KNBO₃ Thin Films Studied by In-Situ Second Harmonic Generation Measurements", V. Gopalan and R. Raj, Applied Physics Letters, 68(10), 1323-1325 (1996).
- J161 "A Tungsten Filament High Temperature Heater for Thin Film Deposition", R. Bellman and R. Raj, Review of Scientific Instruments, 67[11], 3958-3960 (1996).

- J162 "Design and Performance of a New Type of Knudsen Cell For Chemical Beam Epitaxy Using Metalorganic Precursors", R. Bellman and R. Raj, Vacuum, v48 n2, pp.165-173 (1996).
- J161F "A Microindentation Method for Estimating Interfacial Shear Strength and Its Use in Studying the Influence of Titanium Transition Layers on the Interface Strength of Epitaxial Copper Films on Sapphire", G. Dehm, M. Rühle, H.D. Conway, and R. Raj, Acta Materialia, 45 [2], pp. 489-499 (1997).
- J162 "Domain Structure-Second Harmonic Generation Correlation in Potassium Niobate Thin Films Deposited on a Strontium Titanate Substrate", V. Gopalan and R. Raj, Journal of American Ceramic Society, 79 [12] 3289-3296 (1996).
- J163 "Electric Field Induced Domain Rearrangement in Potassium Niobate Thin Films Studied by *in situ* Second Harmonic Generation Measurements", V. Gopalan and R. Raj, Journal of Applied Physics, 81[2], 865-875 (1997).
- J164 "In Situ X-ray Diffraction Study of Phase Transitions in Epitaxial Potassium Niobate Thin Films", V. Gopalan and R. Raj, Ferroelectrics, 200, p.343 (1997).
- J165 "Influence of Microstructural Scale on Plastic Flow Behavior of Metal Matrix Composites", T. W. Gustafson, P.C. Panda, G. Song, and R. Raj, Acta Materialia, Vol. 45 [4], 1633-1643 (1997).
- J166 "Vanadium Metal - MgAl₂O₄ Spinel Composites for Structural Applications in Neutron and other Hostile Environments ", K. Sickafus, R. Raj and P. C. Panda, Journal of Nuclear Materials, in press (1997).
- J167 "Thermal Diffusivity of Particulate Composites made from Aluminum Oxide and Nickel Aluminide by a Photothermal Deflection Technique", Y. D. Chung, A. P. Chojnacka, C. T. Avedisian and R. Raj, Acta Materialia, 45 [7], 2983-2993 (1997).
- J168 "Thermodynamic Analysis of Grain Aspect Ratio in Fibrous Microstructures of Silicon Nitride", R. Raj and M. J. Hoffmann, Journal of American Ceramic Society, 80 [12], 3250-3252 (1997).
- J169 "Growth and Structure of Internal Cu/Al₂O₃ and Cu/Ti/Al₂O₃ Interfaces", G. Dehm, C. Scheu, M. Rühle, and R. Raj, Acta Materialia, 46 [3], 759-772 (1998).
- J170 "Crystallization of a Liquid (or a Glass) Contained within a Nanotube", R. Raj, Phys.Stat.Sol.(a), 166, 529(1998).
- J171 "Time Evolution of Stress Distribution around Multiple Fiber Breaks in a Composite with Viscous and Viscoelastic Matrices", I. J. Beyerlein, S. L. Phoenix and R. Raj, International Journal of Solids Structures, 35[24], 3177-3211 (1998).
- J172 "Newtonian Viscosity of Amorphous Silicon Carbonitride at High Temperature", L. An, R. Riedel, C. Konetschny, H.-J. Kleebe and R. Raj, Journal of American Ceramic Society, 81 [5], 1349-1352 (1998).
- J173 "Constrained yielding in niobium single crystals bonded to sapphire", G. Soyez, G. Elssner, M. Rühle, R. Raj, Acta Materialia, 46 [10], 3571-3581(1998).

- J174 "Amorphous Silicoboron Carbonitride Ceramic with Very High Viscosity at Ultra High Temperatures", R. Riedel, L. M. Ruwisch, L. An and R. Raj, Journal of American Ceramic Society, 81[12] 3341-3344 (1998).
- J175 "A Methodology for Integrating Materials Science with Systems Engineering", G. Subbarayan and R. Raj, Materials And Design, 20, 1-12 (1999).
- J176 "Oxidation Kinetics of Amorphous Silicon Carbonitride Ceramics", R. Raj, L. An, S. Shah, R. Riedel, C. Fasel and H.-J. Kleebe, Journal of American Ceramic Society, Vol. 84 [8], 1805-1810 (2001).
- J177 "On the Conversion Efficiency of Alkoxide Precursor into Oxide Films grown by Ultasonic Assisted, Pulsed Liquid Injection Metalorganic Chemical Vapor Deposition (Pulsed CVD) Process", S. Krumdieck and R. Raj, Journal of American Ceramic Society, Vol. 82 [6], 1605-07 (1999).
- J179 "Fracture Toughness of Diamondlike Carbon Coatings", M. Nastasi, P. Kodali, K. C. Walter, J. D. Embury, R. Raj and Y. Nakamura , Journal of Materials Research, Vol 14, No. 5, 2173-2180 (1999).
- J180 "Measurement of an Electrical Potential Induced by Normal Stress Applied to the Interface of an Ionic Material at Elevated Temperature ", A. K. Pannikat and R. Raj, Acta Materialia, Vol 47[12], 3423-3431 (1999).
- J181 "A System Level Partitioning Approach for Analyzing the Origins of Variability in Life Prediction of Tungsten Filaments for Incandescent Lamps", R. Raj, M. P. Enright and D. M. Frangopol, Materials and Design, Vol 21, No. 1, pp 9-18 (2000).
- J182 "System Level Optimization and Design of the High Speed Machining Process using Ceramic Cutting Tools", O. Sbaizer and R. Raj, Materials and Design, Vol. 21, pp. 175-189 (2000).
- J183 "Nanomechanical Modelling of Misfit Dislocations at Heterointerfaces", F. Ernst, R. Raj and M. Rühle, Zeitschrift für Metallkunde, Vol 90 [12], 961-967 (1999).
- J184 "Crack Formation in Sapphire/Niobium/Sapphire Joints under Compression", G. Soyez, G. Ellsner, M. Rühle, Journal of Materials Science, Vol 35, 1087-1096(2000).
- J185 "An Interdisciplinary Framework for the Design and Life Prediction of Engineering Systems", R. Raj, Journal of Engineering Materials and Technology, Vol 122 [3], 348-354 (2000).
- J186 "Unique precursor delivery and control afforded by low-pressure pulsed-CVD process with ultrasonic atomization", S. Krumdieck, O. Sbaizer and R. Raj, J. Physics IV, Vol. 11 (PR3), 1161-1168 (2001).
- J187 "Growth rate and morphology for ceramic films by pulsed-MOCVD", S. Krumdieck, and R. Raj, Surface Coatings Science and Technology, Vol. 141 (1), 7-14 (2001).
- J188 "Experimental characterization and modeling of pulsed MOCVD with ultrasonic atomization of liquid precursor", S. Krumdieck, and R. Raj, Chemical Vapor Deposition, Vol. 7 (2), 85-90 (2001).
- J189 "Ceramic MEMS - New Materials, Innovative Processing and Future Applications", L. Liew, W. Zhang, Linan An, S. Shah, R. Lou, Y. Liu, T. Cross, K. Anseth, V. Bright, J. W. Daily and

- R. Raj,, Bulletin of the American Ceramic Society, Am. Cer. Soc. Bull., Vol 80[5], 25-30 (May 2001).
- J190 "Development of Injectable Polymer-Derived Ceramics for High Temperature MEMS", L. An, W. Zhang, V.M. Bright, M.L. Dunn and R. Raj, Proceedings of Thirteen Annual International Conference on Micro Electro Mechanical Systems (MEMS 2000), 619-623(Jan 23-27 2000, Miyazaki, Japan).
- J191 "Fabrication of SiCN Ceramic MEMS Using Injectable Polymer-Precursor Technique", L.A. Liew, W. Zhang, V. M. Bright, L. An, M. L. Dunn and R. Raj, Sensors and Actuators, vol. A-89, no. 1-2, pp. 64-70 (2001).
- J192 "Fabrication of SiCN MEMS Structures Using Microforged Molds", Y. Liu, L.A. Liew, R. Luo, L. An, V.M. Bright, M.L. Dunn, J.W. Daily, and R. Raj, Proceedings of the 14th Annual International Conference on Micro Electromechanical Systems (MEMS2001), pp. 118-121, Interlaken, Switzerland, Jan 21-25, 2001.
- J193 "Nanoscale densification creep in polymer-derived silicon carbonitrides at 1350 degrees C", S. R. Shah and R. Raj, Journal of the American Ceramic Society, Vol. 84 (10), 2208-2212 (2001).
- J194 "Fabrication of Multi-Layered SiCN Ceramic MEMS Using Photo-Polymerization of Precursor", L.A. Liew, R. Luo, Y. Liu, W. Zhang, L. An, V.M. Bright, M.L. Dunn, J.W. Daily, and R. Raj, L.A. Liew, R. Luo, Y. Liu, W. Zhang, L. An, V.M. Bright, M.L. Dunn, J.W. Daily, and R. Raj (MEMS2001), pp. 86-89, Interlaken, Switzerland, Jan 21-25, 2001.
- J195 "Introduction to the special topical issue on ultrahigh-temperature polymer-derived ceramics", R. Raj, R. Riedel and G. D. Soraru, Journal of the American Ceramic Society, Vol. 84 (10), 2158-2159 (2001).
- J198 "Mechanical Properties of a Fully Dense Polymer Derived Ceramic Made by a Novel Pressure Casting Process", S. R. Shah and R. Raj, Acta Materialia, Vol 50[16], 4093-4103 (2002).
- J199 "Crystallization of Polymer Derived Silicon Carbonitride at 1873K under Nitrogen Overpressure", M. Friess, J. Bill, J. Golczewski, A. Zimmermann, F. Aldinger, R. Riedel and R. Raj, Journal of the American Ceramic Society, Vol. 10, 2587-2589 (2002).
- J200 "Pyrolysis Kinetics for the Conversion of a Polymer into an Amorphous Ceramic", L. Pederiva, G. D. Sorarù, J. Latournerie and R. Raj, Journal of the American Ceramic Society, Vol 85[9], 2181-2187 (2002)
- J201 "Ion Exchange at a Metal-Ceramic Interface", R. Raj, A. Saha, L. An, D. P. H. Hasselman and F. Ernst, Acta Materialia, Vol 50, 1165-1176 (2002).
- J202 "Carbon Nanotubes Welded by Precursor Derived Silicoboron Carbonitride Ceramics", Y. Cai, S. R. Shah, A. Zimmermann, M. Weinmann, R. Raj and F. Aldinger, Phys. Stat. Sol., Vol 193[3], R13-R-15 (2002).
- J203 "Solid yttria-stabilized zirconia films by pulsed chemical vapor deposition from metal-organic precursors", Krumdieck SP, Sbaizer O, Bullert A, R. Raj, Journal of the American Ceramic Society, Vol. 85[11], 2873-2875 (2002).

- J204 "Fabrication of SiCN MEMS by photopolymerization of pre-ceramic polymer?", Liew LA, Liu YP, Luo RL, Cross T, An LN, Bright VM, Dunn ML, Daily JW, R. Raj, Sensors and Actuators A-Phys, Vol. 95[2-3], 120-134 (2002).
- J205 "Application of microforging to SiCN MEMS fabrication", Liu YP, Liew LA, Luo RL, An LN, Dunn ML, Bright VM, Daily JW, R. Raj, Sensors and Actuators A-Phys, Vol. 95[2-3], 143-151 (2002).
- J206 "Influence of Distributed Particle Size on the Determination of the Parabolic Rate Constant for Oxidation by the Powder Method", S. R. Shah, A. Saha and R. Raj, Journal of the American Ceramic Society, Vol. 86[2], 351-353 (2003).
- J207 "A real-time human-machine interface for a ultrahigh temperature MEMS sensor-igniter", J. Kong, K. Maute, D. M. Frangopol, L.-A. Liew, R. A. Saravanan, and R. Raj, Sensors and Actuators A-Physical, Vol. 105[1], 23-30 (2003).
- J208 "Processing and characterization of silicon carbon-nitride ceramics: application of electrical properties towards MEMS thermal actuators", Liew LA, Saravanan RA, Bright VM, Dunn ML, Daily JW, R. Raj, Sensors & Actuators A-Phys, Vol. 103[1-2], 171-181 (2003).
- J209 "Investigation on the oxidation process of SiCO glasses by the means of non-Rutherford Backscattering Spectrometry", A. Vomiero, S. Modena, G.D. Soraru, R. Raj, Y. Blum, G. Della Mea, Nuclear Instruments and Methods in Physics Research B, Vol. 211, 401-407 (2003).
- J210 "Polymer-derived SiCN composites with magnetic properties" Saha A, Shah SR, Raj R, Russek SE, Journal of Materials Research, Vol. 18 (11): 2549-2551 (2003).
- J211 "Polymer-derived ceramic materials from thiol-ene photopolymerizations", Reddy SK, Cramer NB, Cross T, Raj R, Bowman CN, Chemistry of Materials, Vol. 15 (22): 4257-4261 (2003).
- J212 "Amorphous silicon carbonitride fibers drawn from alkoxide modified Ceraset(TM)" Saha A, Shah SR, Raj R, Journal of the American Ceramic Society, Vol. 86 (8): 1443-1445 (2003)
- J213 "Integration of ceramics research with the development of a microsystem", Saravanan RA, Liew LA, Bright VM, Raj R, Journal of the American Ceramic Society, Vol. 86 (7): 1217-1219 (2003).
- J214 "A novel micro glow plug fabricated from polymer-derived ceramics: in situ measurement of high-temperature properties and application to ultrahigh-temperature ignition" Liew LA, Bright VM, Raj R, Sensors & Actuators A-Physical, Vol. 104 (3): 246-262 (2003).
- J215 "Large magnetoresistance in (La_{1-x}CaxMnO₃)(1-y): ZrO₂ composite", Das D, Saha A, Russek SE, Raj R, Bahadur D, Journal of Applied Physics, Vol. 93 (10): 8301-8303 Part 3 (2003).
- J216 "YSZ layers by pulsed-MOCVD on solid oxide fuel cell electrodes", Krumdieck SP, Sbaizer O, Bullert A, Raj R, Surface & Coatings Technology, Vol. 167 (2-3): 226-233 (2003).
- J217 "A Methodology for Analyzing the Variability in the performance of a ceramic MEMS Actuator Made from a Novel Ceramic" J. S. Kong, M. Raulli, K. Maute, D. M. Frangopol and R. Raj, Sensors & Actuators- A Physical, Vol. 116[2], 336-344 (2004).

- J218 "Temperature-dependent variability in lifetime prediction of thermally activated systems", R. Raj, J. S. Kong, D. M. Frangopol and I.E. Raj, Metallurgical and Materials Transactions-A, Vol. 35A[5], 1471-1476 (2004).
- J219 "Characterization of NanoDomains in Polymer-Derived SiCN Ceramics Employing Multiple Techniques", A. Saha, D. L. Williamson, H.-J. Kleebe and R. Raj, Journal of American Ceramic Society vol. 88 [1], 232-234 (2005).
- J220 "Oxidation Behavior of SiCN-ZrO₂ Fiber Prepared from Alkoxide Modified Silazane" A. Saha, S. R. Shah and R. Raj, Journal of American Ceramic Society , Vol. 87[8], 1556-1558 (2004).
- J221 "Nanodevices that explore the synergies between PDCs and carbon nanotubes", S. R. Shah and R. Raj, Journal of European Ceramic Society, Vol. 25[2-3], 243-249 (2005).
- J222 "Magnetic and electrical transport properties of La0.67Ca0.33MnO₃ (LCMO): xSiCN composites", D. Das, A. Saha, C. M. Srivastava, R. Raj, S. E. Russek, and D. Bahadur, Journal of Applied Physics, Vol. 95[11], Part 2, 7106-7108 (2004).
- J223 "Rate mechanisms of a novel thiol-ene photopolymerization reaction", S. K. Reddy, N. B. Cramer, A. K.; O'Brien, T. Cross, R. Raj and C. N. Bowman, Macromolecular Symposia, Vol. 206, 361-374 (2004).
- J224 "Thiol-ene photopolymerization of polymer-derived ceramic precursors", N. B. Cramer, S. K. Reddy, H. Lu, T. Cross, R. Raj, and C. N. Bowman, Journal of Polymer Science Part A-Polymer Chemistry, Vol. 42[7], 1752-1757 (2004).
- J225 "Passive oxidation of an effluent system: The case of polymer-derived SiCO", S. Modena, G. D. Soraru', Y. Blum and R. Raj, Journal of American Ceramic Society, Vol 88[2], 339-345 (2005).
- J226 "A methodology for analyzing the variability in the performance of a MEMS actuator made from a novel ceramic", J. S. Kong, D. M. Frangopol, M. Raulli, K. Maute, R. A. Saravanan, L. A. Liew and R. Raj, Sensors & Actuators A-Physical, Vol. 116[2], 336-344 (2004).
- J227 "Influence of Grain Size Variability on the Strain Rate Dependence of the Stress Exponent in Mixed-Mode Power Law and Diffusional Creep", J. Bai and R. Raj, Metallurgical and Materials Transactions A , Vol. 36A [11], 1913-2919 (2005).
- J228 "The Role of Carbon in Unexpected Visco(an)elastic Behavior of Amorphous Silicon Oxycarbide above 1273K", A. Scarmi, G. D. Soraru and R. Raj, Journal of Non-Crystalline Solids, Vol. 351[27-29], 2238-2243 (2005).
- J229 "Crystallization Maps for Amorphous SiCO", A. Saha and R. Raj, Journal of American Ceramic Society, 90 [2] 578-583 (2007).
- J230 "Inverse Problems in Stochastic Modeling of Mixed Mode Diffusional and Power-Law Creep for Variable Grain Size", Metallurgical and Materials Transactions A , accepted: in press (2006).
- J231 "A Model for NanoDomains in Polymer-Derived SiCO", A. Saha, D. L. Williamson, and R. Raj, Journal of American Ceramic Society, Vol. 89[7], 2188-2195 (2006).

- J232 "Titanium Nitride Interconnects for Polymer-Derived Silicon-Carbonitride Semiconductors for Service at Temperatures up to 1300°C", H.-Y. Ryu and R. Raj, Journal of American Ceramic Society, Vol. 90[1], 295-297 (2007).
- J233 "Synthesis, Deposition, Microstructure, and Tribological Behavior of Thin Film Silicon Carbonitride Derived from Poly(urea)methyl Vinyettottil Silazane", T. J. Cross, R. Raj, S. V. Prasad, and D. R. Tallant, Journal of Applied Ceramic Technology, Vol. 3[2], 113-126 (2006).
- J234 "Mechanical Design for Accommodating Thermal Expansion Mismatch in Multilayer Coatings for Environmental Protection at Ultrahigh Temperatures", J. Bai, K. Maute, S. R. Shah and R. Raj, Journal of American Ceramic Society, Vol. 90[1], 170-176 (2007).
- J235 "Multilayer Design and Evaluation of a High Temperature Environmental Coating" S. R. Shah and R. Raj, Journal of American Ceramic Society, Vol. 90[2], 516-522 (2007).
- J236 "A Phenomenological Model (and Experiments) for Liquid Phase Sintering", R. Raj, R. Rixecker, and M. Valentiniotti, Metallurgical and Materials Transactions A, Vol. 38A[3], 628-637 (2007).
- J237 "Effect of Steam Velocity on Hydrothermal Oxidation/Volatilization of Silicon Nitride", B. Sudhir and R. Raj, Journal of American Ceramic Society, Vol. 89[4], 1380-1387 (2006).
- J238 "Mechanical and Tribological Behavior of Polymer-Derived Ceramics Constituted from $\text{SiC}_x\text{O}_y\text{N}_z$ ", T. Cross, R. Raj, S. V. Prasad, T. E. Buchheit and D. R. Tallant, Journal of American Ceramic Society, Vol. 89[12], 3706-3714 (2006).
- J239 "Preparation of Ultrathin-Walled Carbon-Based Nanoporous Structures by Etching Pseudo-Amorphous Silicon Oxycarbide Ceramics", R. Peña-Alonso, G. D. Soraru` and R. Raj, Journal American Ceramic Society, Vol. 89[8]. 2473-2480 (2006).
- J240 "Novel Composites Constituted from Hafnia and a Polymer-Derived Ceramic as an Interface Phase for Severe Ultrahigh Temperature Applications", B. Sudhir and R. Raj, Journal of American Ceramic Society, Vol. 90[10], 3171-3176 (2007).
- J241 "Diffusion Reactions as $\text{Al}-\text{MgAl}_2\text{O}_4$ Interfaces – and the Effect of Applied Electric Fields", Y. Yu, J. Mark, F. Ernst, T. Wagner and R. Raj, Journal of Materials Science, Vol. 41[23], 7785-7797 (2006).
- J242 "Novel Polycrystalline Alumina Constructed with Refractory Interfaces Deriving from a Polymer Precursor", E. Castellan, S. R. Shah and R. Raj, under review (submitted November 2007).
- J243 "PicoScale Catalyst for Hydrogen Generation from NaBH_4 ", R. Peña-Alonso, A. Sicurelli, E. Callone, G. Carturan and R. Raj, Journal of Power Sources, Vol. 165, 315-323 (2007).
- J244 "Thermodynamically Stable SixOyCz Polymer-Like Amorphous Ceramics", T. Varga, A. Navrotsky, J. L. Moats, R. M. Morcos, F. Poli, K. Müller, A. Saha, and R. Raj, Journal American Ceramic Society, Journal of American Ceramic Society, Vol. 90[10], 3213-3219 (2007).

- J245 "Shear strength and sliding at a metal-ceramic (aluminum-spinel) interface at ambient and elevated temperatures", G. Singh, Y. Yu, F. Ernst and R. Raj, *Acta Materialia*, **55**[9], 3049-3057 (2007).
- J246 "Study of the Pyrolysis Process if a Hybrid $\text{CH}_3\text{SiO}_{1.5}$ Gel into a SiCO Glass," G. Das, P. Bettotti, L. Ferraioli, R. Raj, G. Mariotto, L. Pavesi, and G. D. Soraru, *Vibrational Spectroscopy*, Vol. 545[1], 61-68 (2007).
- J247 Das, G; Bettotti, P; Ferraioli, L; Raj, R; Mariotto, G; PaveSib, L; Soraru, GD, "Study of the pyrolysis process of an hybrid $\text{CH}_3\text{SiO}_{1.5}$ gel into a SiCO glass," *Vibrational Spectroscopy*, Vol. 45[1], 61-68 (2007).
- J248 Callone, E; Fletcher, JM; Carturan, G; Raj, R, "A low-cost method for producing high-performance nanocomposite thin-films made from silica and CNTs on cellulose substrates," *Journal of Materials Science*, Vol. 43[14], 4862-4869 (2008).
- J249 Ferraioli, L; Ahn, D; Saha, A; Pavesi, L; Raj, R, "Intensely photoluminescent pseudo-amorphous SiliconOxyCarboNitride polymer-ceramic hybrids," *Journal of American Ceramic Society*, Vol. 91[7], 2422-2424 (2008).
- J250 Morcos, RM; Navrotsky, A; Varga, T; Ahn, D; Saha, A; Poli, F; Mueller, K; Raj, R, "Thermodynamically stable SiwCxNyOz polymer-like, amorphous ceramics made from organic precursors," *Journal of American Ceramic Society*, Vol. 91[7], 2391-2394 (2008).
- J251 Morcos, RM; Navrotsky, A; Varga, T; Blum, Y; Ahn, D; Poli, F; Muller, K; Raj, R, "Energetics of SixOyCz polymer-derived ceramics prepared under varying conditions," *Journal of American Ceramic Society*, Vol. 91[9], 2969-2974 (2008).
- J252 Shah, SR; Chokshi, AH; Raj, R, "Porous Al_2O_3 -Spinel Based Polycrystals That Resist Free-Sintering," *Journal of American Ceramic Society*, Vol. 91[10], 3451-3454 (2008).
- J253 "A Model for the Evolution of Grain Size Distribution During Superplastic Deformation," A. K. Ghosh and R. Raj, *Acta Metall.*, Vol. 34[3], 447-456 (1986)
- J253 M. Sudarshan, M. K. Surappa, D. J. Ahn, and R. Raj, "Nanoceramic-Metal Matrix Composites by In-Situ Pyrolysis of Organic Precursors in a Liquid Melt," *Metallurgical and Materials Transactions A-Physical Metallurgy and Materials Science*, Vol. 39A, 3291-3297 (2008).
- J254 S. Ghosh, A. H. Chokshi, P. Lee, and R. Raj, "A Huge Effect of Weak dc Electrical Fields on Grain Growth in Zirconia," *Journal of American Ceramic Society*, Vol. 92[8], 1856-1859 (2009).
- J255 I. Dutta, R. Raj, P. Kumar, T. Chen, C. M. Nagaraj, J. Liu, M. Renavikar, and V. Wakharkar, "Liquid Phase Sintered Solders with Indium as Minority Phase for Next Generation Thermal Interface Material Applications," *Journal of Electronic Materials*, 38[12] 2735-45 (2009).
- J256 P. E. Sanchez-Jimenez and R. Raj, "Lithium Insertion in Polymer-Derived Silicon Oxycarbide Ceramics," *Journal of the American Ceramic Society*, 93[4] 1127-35 (2010).

- J257 E. Castellan, S. R. Shah, andR. Raj, "Compression Creep of Alumina Containing Interfacial Silicon, Carbon, and Nitrogen, Derived from a Polysilazane Precursor," Journal of the American Ceramic Society, 93[4] 954-58 (2010).
- J258 J. Bai and R. Raj, "Inverse Problems in Stochastic Modeling of Mixed-Mode Power-Law and Diffusional Creep for Distributed Grain Size," Metallurgical and Materials Transactions a-Physical Metallurgy and Materials Science, 41A[2] 308-17 (2010).
- J258 H. Y. Ryu, Q. Wang, andR. Raj, "Ultrahigh-Temperature Semiconductors Made from Polymer-Derived Ceramics," Journal of the American Ceramic Society, 93[6] 1668-76 (2010).
- J259 K. Terauds, P. E. Sanchez-Jimenez, R. Raj, C. Vakifahmetoglu, andP. Colombo, "Giant piezoresistivity of polymer-derived ceramics at high temperatures," Journal of the European Ceramic Society, 30[11] 2203-07 (2010).
- J260 P. Lee and R. Raj, "Colossal Anelasticity in Polycrystals Deforming under Conditions of Diffusional Creep," Acta Materialia, Vol. 58, 702-708 (2010).
- J261 D. Yang, R. Raj, andH. Conrad, "Enhanced Sintering Rate of Zirconia (3Y-TZP) Through the Effect of a Weak dc Electric Field on Grain Growth," Journal of the American Ceramic Society, 93[10] 2935-37 (2010).
- J262 D. Ahn and R. Raj, "Thermodynamic measurements pertaining to the hysteretic intercalation of lithium in polymer-derived silicon oxycarbide," Journal of Power Sources, 195[12] 3900-06 (2010).
- J263 M. Cologna, B. Rashkova, andR. Raj, "Flash Sintering of Nanograins Zirconia in < 5 s at 850 degrees C," Journal of the American Ceramic Society, 93[11] 3556-59 (2010).
- J264 P. E. Sanchez-Jimenez, J. A. Downs, andR. Raj, "Transient Viscous Flow During the Evolution of a Ceramic (Silicon Carbonitride) from a Polymer (Polysilazane)," Journal of the American Ceramic Society, 93[9] 2567-70 (2010).
- J265 L.-H. Hu, R. Ceccato, andR. Raj, "Superefficient thin film multilayer catalyst for generating hydrogen from sodium borohydride," Journal of Power Sources, 196[2] 741-46 (2011).
- J266 L.-H. Hu, R. Ceccato, andR. Raj, "Ultrahigh figure-of-merit for hydrogen generation from sodium borohydride using ternary metal catalysts," Journal of Power Sources, 196[1] 69-75 (2011).
- J267 J. Shen, D. Ahn, andR. Raj, "C-rate performance of silicon oxycarbide anodes for Li plus batteries enhanced by carbon nanotubes," Journal of Power Sources, 196[5] 2875-78 (2011).
- J268 J. Shen and R. Raj, "Silicon-oxycarbide based thin film anodes for lithium ion batteries," Journal of Power Sources, 196[14] 5945-50 (2011).

- J269 2D. Ahn and R. Raj, "Cyclic stability and C-rate performance of amorphous silicon and carbon based anodes for electrochemical storage of lithium," *Journal of Power Sources*, 196[4] 2179-86 (2011).
- J270 M. Cologna, A. L. G. Prette, and R. Raj, "Flash-Sintering of Cubic Yttria-Stabilized Zirconia at 750 degrees C for Possible Use in SOFC Manufacturing," *Journal of the American Ceramic Society*, 94[2] 316-19 (2011).
- J271 M. Cologna and R. Raj, "Surface Diffusion-Controlled Neck Growth Kinetics in Early Stage Sintering of Zirconia, with and without Applied DC Electrical Field," *Journal of the American Ceramic Society*, 94[2] 391-95 (2011).
- J272 A. L. G. Prette, M. Cologna, V. Sglavo, and R. Raj, "Flash-sintering of Co₂MnO₄ spinel for solid oxide fuel cell applications," *Journal of Power Sources*, 196[4] 2061-65 (2011).

PATENTS

- P001 "US Patent No. 4,552,711: Use of Silicon in Liquid Sintered Silicon Nitrides and Sialons", R. Raj and S. Baik, issued November 12, 1985.
- P002 "US Patent No 4,487,840: Use of Silicon in Liquid Sintered Silicon Nitrides and Sialons", R. Raj and S. Baik, issued December 11, 1984.
- P003 "High Sensitivity Creep Tester", R. Raj, Y.T. Chen and F. VanBaren, IBM Patent Disclosure Bulletin, 1973.
- P004 "US Patent No 4,732,719: Superplastic Forging Silicon Nitride", P.C. Panda, E.R. Seydel and R. Raj, issued March 22, 1988.
- P005 "US Patent 4,849,142: Superplastic Forging of Zirconia Ceramics", P.C. Panda, E.R. Seydel and R. Raj, issued July 18, 1989.
- P006 "US Patent 4,939,120: Superconducting Rotating Assembly", F.C. Moon and R. Raj, issued July 3, 1990.
- P007 "US patent 4,806,198: Producing Alpha Alumina Whiskers", S. Jagota and R. Raj, February 21, 1989.
- P008 "US Patent 4,886,778: Superconducting Rotating Assembly", F.C. Moon and R. Raj, issued December 12, 1989.
- P009 "Enhancing Bonding at Metal Ceramic Interfaces", S. L. Sass, R. Raj and F.-S. Shieh, U.S. Patent # 5,074,941, Issued December 24, 1991.
- P010 "Composites of Magnesia-Aluminate Spinel-Silicon Carbide Fibers", R. Raj, P. C. Panda and E. R. Seydel, U.S. Patent # 4,871,496.

- P011 "Diamond Like Coating on Metal or Ceramic Materials that Contain a Dispersion of Diamond Particles", R. Raj and A. J. Sievers, U. S. Patent No: 5,206,083, issued April 27, 1993.
- P012 "Infra Red Diamond Composites", R. Raj, A. J. Sievers, L. A. Xue, and T.-W. Noh, U. S. Patent No: 5,183,602, issued February 2, 1993.
- P013 "Non-Beading Thin-Film, Metal Coated Ceramic Substrate", R. Raj, U. S. Patent No: 5,173,354, issued December 22, 1992.
- P014 "Co-Fired Multilayer Ceramic Tapes that Exhibit Constrained Sintering", R. Raj, U. S. Patent No: 5,102,720, issued Apr. 7, 1992.
- P015 "Method and Apparatus for CVD Using Liquid Delivery System with an Ultrasonic Nozzle", V. A. Versteeg, T. A. Avedisian and R. Raj, U. S. Patent No: 5,451,260, September 19, 1995.
- P016 "MicroGlow Plug and Process for Producing Same.", Li-Anne Liew and Rishi Raj, Non-Provisional Patent Application filed November 7, 2001 by Patton Boggs LLP; PB Ref: 13743.101; C.U. Ref No.2001.037B. (Approved: in the process of being issued).
- P017 "Nanocomposite Ceramics of Oxide And Non-Oxide Phases and Methods for Producing Same" R. Raj, S. Saha and S. R. Shah, US Patent Application filed on April 30, 2003. (Approved: in the process of being issued).
- P018 "A Novel Substrate for Hydrogen Catalysis", Giovanni Carturan, Raquel Peña-Alonso, and Rishi Raj, Patent Disclosure filed with University of Colorado at Boulder, November 2006.
- P019 "Microfiber Solid Oxide Fuel Cell", Marco Cologna, Vincenzo Sglavo and Rishi Raj, Patent Disclosure filed with University of Colorado at Boulder, November 2006.